

SUPPLEMENT TO

The Gazette of India



No. 11] NEW DELHI, SATURDAY, MARCH 21, 1959/PHALGUNA 30, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, Smallpox, Plague and Typhus in districts in India during the week ending the 21st February, 1959.

CHOLERA				SMALLPOX				PLAGUE				CHOLERA				SMALLPOX				PLAGUE			
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.	
Andhra Pradesh												Himachal Pradesh											
"N.R."												"N.R."											
Assam												Kerala											
TOTAL												"N.R."											
Total for w/e 14-2-59												Madhya Pradesh											
Total for w/e 7-2-59												"N.R."											
Bihar												Madras											
"N.R."												Madras city											
Bombay												Chingleput											
Greater Bombay												South Arcot											
Amreli												Tiruchirappalli											
Baroda												Tanjore											
Danga												Madurai											
Panch Mahal												North Arcot											
Gohilwad												Salem											
Ahmednagar												Colmbatore											
East Khandesh												The Nilgiris											
Poona												TOTAL											
Ratmagiri												Total for w/e 14-2-59											
West Khandesh												Total for w/e 7-2-59											
Akola												Manipur											
Chanda												TOTAL											
Yeotmal												Total for w/e 14-2-59											
Bhir												Total for w/e 7-2-59											
Sholapur												Mysore											
TOTAL												Chikmagalur											
Total for w/e 14-2-59												Chitradurga											
Total for w/e 7-2-59												Mandya											
Delhi												Shimoga											
Delhi city												Raichur											
Delhi Civil Lines Zone												Belgaum											
TOTAL												Bijapur											
Total for w/e 14-2-59												Dharwar											
Total for w/e 7-2-59												South Kanara											
												Coorg (Mercara)											
												TOTAL											
												Total for w/e 14-2-59											
												Total for w/e 7-2-59											

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st February, 1959—contd.

CHOLERA								SMALLPOX								PLAGUE											
C.				D.				C.				D.				C.				D.							
Orissa								Uttar Pradesh--contd.								West Bengal											
Cuttack	5	Mathura	1	1	"N.R."								
Puri	.	.	.	4	3	15	3	Muzaffarnagar	3	Total for India (exclud-								
Balasore	4	Nanital	6	1	ing Andhra Pradesh,								
Ganjam	20	8	Pilibhit	13	7	Bihar, Himachal								
Koraput	14	Rampur	10	4	Pradesh, Kerala,								
Sambalpur	35	3	Total	87	28	Pradesh, Madhya								
Dhenkanal	5	Total for w/e 14-2-59	88	23	Pradesh, Rajastha-								
Sundergarh	1	1	Total for w/e 7-2-59	85	30	n, Tripura &								
Keonjhar	11	ARREAR INFORMATION								West Bengal									
Bolangir	5	w/e 14-2-59								Burdwan									
Khondamals	10	1	Birbhum								..									
Mayurbhanj	9	1	Bankura								..									
Kalahandi	46	5	Midnapur								..									
TOTAL	.	.	.	4	3	180	22	Hooghly								..									
Total for w/e 14-2-59	180	39	Howrah								..									
Total for w/e 7-2-59	175	33	24-Parganas								..									
Pondicherry								Punjab								TOTAL								8			
TOTAL	3	3	Calcutta								..									
Total for w/e 14-2-59	7	3	Nadia								..									
Total for w/e 7-2-59	7	5	West Dinajpur								..									
Rajasthan								Tripura								Darjeeling								..			
"N.R."								"N.R."								Malda								..			
Uttar Pradesh								Punjab								TOTAL								8			
Aligarh	13	1	w/e 14-2-59								Rohtak				..					
Allahabad	1	Gurdaspur								..									
Almora	8	1	Patiala								..									
Azamgarh	10	5	Narnaul								..									
Banda	5	1	TOTAL								6									
Ballia	2	Mysore								W/e 14-2-59									
Bijnor	3	Chitradurga								..									
Deoria	3	1	Chikmagalur								..									
Farrukhabad	1	2	Mandya								..									
Faizabad	1	1	Mysore								..									
Gorakhpur	2	1	Shimoga								..									
Gharwal	1	TOTAL								6									
Kheri	1	2	Mysore								W/e 14-2-59									
Lucknow	3	Chitradurga								..									

Explanation of Symbols used :—C=Cases; D=Deaths; ..=Nil; "N. R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st February, 1959—concl'd.

CHOLERA				SMALLPOX				PLAGUE				State	F/e	Cases	Deaths
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.				
Mysore— cont'd.															
Raichur				11								Punjab	31-1-59	5 (Non-Paretic)	—
Bijapur	I	I		11								—do—	15-1-59	9 (Paretic)	—
Dharwar				21	2							—do—	31-12-58	10 (do)	—
South Kanara				3	1							—do—	15-12-58	4 (do)	—
TOTAL	I	I		66	3							—do—	—do—	4 (Non-Paretic)	—
Himachal Pradesh												—do—	30-11-58	6 (Paretic)	—
<i>w/e 17-1-59</i>												—do—	—do—	2 (Non-Paretic)	—
TOTAL												West Bengal	May 1958	7(s) (Paretic)	—
Tripura												—do—	June 1958	7(s) (do)	—
<i>w/e 14-2-59</i>												—do—	July 1958	11(s) (do)	—
TOTAL												—do—	August 1958	66 (do)	—
Rajasthan												—do—	September 1958	58 (do)	—
<i>w/e 7-2-59</i>												—do—	October 1958	58 (do)	—
Jhunjhunu				34	7							Palni	February 1959	—	—
Sikar				2								—do—	January 1959	—	—
Chittor				2	1							—do—	December 1958	—	—
Bikaner				1								Calcutta	128-1-59	1 (Not Specified)	—
TOTAL				39	8							S=Supplementary Figures. *Date of Death.			

Poliomyelitis

(Information based on patients treated in hospital of important towns)

State	F/e	Cases	Deaths
Punjab	28-2-59	9 (Paretic)	—
—do—	15-2-59	13 (do)	—
—do—	31-1-59	12 (do)	—

REMARKS

SMALL-POX:—Heavy incidence was reported from Amreli and Kalahandi Districts of Bombay and Orissa State respectively.

Explanation of Symbols used :— C = Cases; D = Deaths ; . . = Nil.

NEW DELHI-2 (INDIA);
The 16th March, 1959. }

H. R. SHARMA,
for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL PLAN SAVINGS CERTIFICATES		Interest at 5.41 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES		4 per cent interest paid annually. Available in multiples of Rs. 50/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS		2½ per cent interest added on deposits upto Rs. 10,000/- and 2 per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES		
Issue Prices : Rs. 3,325/-, Rs. 6,650/-, Rs. 13,300/-, & Rs. 26,600/-		Refunded together with compound interest at 4.25 per cent per annum in the form of monthly payments spread over a period of fifteen years.
YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX		
For further particulars and/or rules governing these investments please write to the National Savings Commissioner, Nagpur or to the Regional National Savings Officer of your State.		INVEST IN INDIA'S FUTURE'

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st February, 1959.

Towns	Mid-year Popn. Est. (000)	Deaths from :—													D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total					
Andhra Pradesh																
Assam																
Bihar																
Bombay																
Delhi																
Kerala																
Madhya Pradesh																
Madras																
Ambur	48	23	24.9	4	2	..	12	13.0	5			
Arrupukottai	64	30	24.4	1	2	9	7.3	1			
Bodinayakanur	43	22	26.6	3	2	..	8	9.7	4			
Chidambaram	44	50	59.1	7	8.3	..			
Coimbatore	279	258	48.1	..	4	..	1	14	15	3	95	17.7	33			
Cuddalore	77	55	37.1	1	1	1	..	15	10.1	4			
Dindigul	103	88	44.4	..	1	..	3	4	1	..	29	14.6	3			
Erode	79	33	21.7	7	4.6	2			
Gobichettipalayam	51	9	9.2	6	6.1	1			
Gudiyattam	60	37	32.1	3	4	..	13	11.3	3			
Kancheepuram	94	48	26.6	2	1	7	1	22	12.2	2			
Karakudi	49	32	34.0	1	2	1	..	11	11.7	5			
Karur†																
Kumbakonam†																
Madras City.	2,110	1,386	34.2	..	8	..	90	93	171	..	652	16.1	156			
Madurai	510	398	40.6	11	11	20	..	157	16.0	35			
Mayuram	55	42	39.7	2	2	17	16.1	1			
Maliyapalayam	44	8	9.5	2	2.4	..			
Nagapattinam	62	49	41.1	1	3	5	..	19	15.9	7			
Nagercoil	113	55	25.3	2	1	3	..	10	4.6	1			
Ootacamund	54	40	38.5	1	1	3	..	13	12.5	2			
Palni	46	31	35.0	4	..	19	21.5	8			
Palayamkottai	50	51	53.0	1	1	2	1	20	20.8	6			
Periyakulam	36	24	34.7	1	16	23.1	2			
Pollachi	63	55	45.4	2	1	15	12.4	4			
Pudukottai	56	46	42.7	3	..	2	..	13	12.1	3			
Rajapalayam	77	43	29.0	2	4	1	..	15	10.1	5			
Salem	293	160	28.4	5	8	11	1	59	10.5	12			
Sriangam†	48	10	10.8	1	..	1	..	9	9.8	2			
Srivilliputtur	46	40	45.2	4	9	10.2	1			
Tanjore	138	132	49.7	1	2	6	..	37	13.9	5			
Tiruchirappalli	285	124	22.6	2	8	..	57	10.4	8			
Tirunelveli	86	56	33.9	1	3	5	..	31	18.7	9			
Tiruppur	77	54	36.5	..	1	..	1	2	2	..	12	8.1	6			
Tiruvannamalai	48	37	40.1	2	3	11	11.9	4			
Tuticorin	124	72	30.2	1	2	10	..	22	9.2	3			
Vaniyambadi	46	17	19.2	1	3	1	..	9	10.2	4			
Vellore	147	98	34.7	1	3	12	..	51	18.0	12			
Villapuram	42	24	24.7	..	2	..	2	2	2	..	12	14.9	2			
Virudhunagar	59	25	22.0	5	4.4	2			
TOTAL	5,706	3,762	34.3	..	16	..	138	183	304	9	1,526	13.9	363			

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st February, 1959—*contd.*

Towns	Mid-year Popn. Est. (000)	Deaths from:—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Mysore															
Bangalore . . .	1,258	775	32.0	58	43	..	302	12.4	2		
Mysore . . .	364	143	20.4	12	6	6	..	63	9.0	2		
Kolar Gold Fields . .	183	102	28.9	5	3	4	..	41	11.0	..		
Bellary . . .	83	33	20.1	3	3	2	..	38	20.1	6		
Davangere . . .	86	59	35.6	3	15	9.0	..		
Shimoga† . . .	71	33	24.1	9	..	1	..	15	10.9	1		
Bhadravati†	1	10	9.6	..		
Hospet . . .	54	28	26.9	9	8.6	..		
Tumkur . . .	54	31	29.8	7	1		
Kolar†		
Chitaldrug . . .	40	8	10.4	1	1.3	1		
Hassan†		
Bidar†		
Gulberg†		
Raichur†		
Bijapur †		
Belgaum . . .	114	56	25.5	2	24	8.7	..		
Dharwar . . .	87	37	22.1	..	1	..	1	24	14.0	..		
Bagalkot†		
Mangalore†		
Gadag-Betegere . . .	74	54	37.9	11	..	2	2	32	22.4	1		
Hubli†		
TOTAL . . .	2,468	1,359	28.6	..	1	..	53	71	58	3	569	12.0	13		
Orissa															
Behrampur . . .	83	63	39.5	1	5	..	2	20	12.5	3		
Cuttack . . .	134	141	54.7	..	7	..	11	6	15	..	56	21.7	8		
Puri . . .	57	55	50.2	6	5	28	25.5	4		
TOTAL . . .	275	259	49.0	..	7	..	18	16	15	2	104	19.7	15		
Pondicherry															
Pondicherry . . .	68	49	37.4	1	4	4	2	20	15.2	10		
Punjab															
Ambala . . .	63	51	42.2	1	..	2	..	5	4.1	2		
Amritsar . . .	367	269	38.2	8	13	..	59	8.4	13		
Batala . . .	68	35	26.8	3	..	2	..	8	6.1	2		
Bhiwani . . .	60	55	47.8	1	1	4	..	11	9.6	2		
Ferozepur . . .	48	28	30.4	2	2.2	..		
Hissar . . .	42	30	37.3	1	1	6	7.5	2		
Hoshiarpur . . .	56	35	32.6	1	2	..	14	13.0	4		
Jullundur . . .	240	110	23.9	7	..	8	..	37	8.0	9		
Karnal . . .	87	42	25.2	5	..	1	..	11	6.6	..		
Ludhiana . . .	200	130	33.9	6	..	8	..	40	10.4	7		
Moga . . .	46	28	31.7	1	..	8	9.1	2		
Panipat . . .	75	38	26.4	1	..	5	..	9	6.3	5		
Pathankot . . .	38	27	37.0	2	..	3	4.1	1		
Rewari . . .	37	23	32.4	2	3	4.2	2		
Rohtak†		
Simla . . .	54	25	24.1	2	1.9	1		
Sonepat†		
Bhatinda . . .	47	30	33.3	2	..	1	..	6	6.7	..		
Malerkotla†		
Patiala . . .	129	80	32.3	3	3	4	..	29	11.7	11		
TOTAL . . .	1,657	1,036	32.6	32	14	53	..	253	8.0	63		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st February, 1959—*contd.*

Towns	Mid-year Popn. Est. (000)	B.	Deaths from:—										Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.†					
Rajasthan															
Ajmer . . .	250	69	14.3	16	1	9	..	46	9.5	7		
Alwar . . .	61	19	16.1	4	..	6	5.1	2		
Beawar . . .	67	12	9.3	6	..	2	..	9	6.9	3		
Bharatpur†															
Bikaner . . .	118	25	11.0	1	1	6	..	16	7.0	5		
Churu . . .	54	6	5.4		
Ganganagar†															
Jaipur . . .	443	108	12.7	..	2	..	41	2	2	..	74	8.7	31		
Jodhpur†															
Kotah †															
Sikar . . .	57	5	4.5	1	2	1.8	..		
Tonk†															
Udaipur . . .	125	12	5.0	1	2	1	..	31	12.9	5		
TOTAL . . .	1175	256	11.3	..	2	..	66	6	24	..	184	8.1	53		
Uttar Pradesh															
Agra . . .	414	430	54.1	7	62	..	137	17.2	35		
Allahabad . . .	381	170	23.3	1	2	31	..	62	8.5	9		
Amroha . . .	62	67	56.3	2	..	7	..	20	16.8	7		
Bahraich . . .	49	45	47.9	2	3	3.2	..		
Banaras . . .	426	337	41.2	33	1	18	..	150	18.4	22		
Banda†															
Bareilly . . .	206	51	12.9	4	..	8	..	20	5.1	3		
Basti†															
Ballia†															
Bijnor . . .	33	11	17.4	1	..	2	..	3	15.8	..		
Budaun . . .	55	30	28.4	5	..	10	9.5	2		
Bulandshahr†															
Chandauli . . .	45	40	46.3	2	..	3	..	8	9.3	4		
Dehra Dun . . .	187	84	23.4	1	..	15	4.2	6		
Etawah . . .	67	46	35.8	5	1	4	..	14	10.9	3		
Faizabad-Ayodhya	97	42	22.6	1	3	..	8	4.3	3		
Farukhabad-Fatehgarh	79	47	31.0	..	2	..	6	2	10	..	20	13.2	4		
Firozabad . . .	95	31	17.0	1	..	6	3.3	..		
Ghazipur . . .	36	29	42.0	1	3	4.3	3		
Ghaziabad . . .	72	50	36.2	5	..	3	..	8	5.8	2		
Gonda . . .	36	4	5.8		
Gorakhpur . . .	155	85	28.6	8	8	5	..	29	9.7	6		
Hapur . . .	67	32	24.9	4	6	4.7	2		
Hardwar . . .	76	23	15.8	6	..	5	..	15	10.3	3		
Hathras . . .	66	46	36.3	9	1	2	..	13	10.3	1		
Jaunpur . . .	60	20	17.4	3	..	3	..	10	8.7	..		
Jhansi . . .	135	65	25.1	15	..	2	..	23	8.9	7		
Kanpur . . .	842	356	22.0	103	23	45	7	293	18.1	66		
Kasganj . . .	34	6	9.2	3	4.6	..		
Khurja . . .	41	26	33.1	7	..	1	..	9	11.4	..		
Koil Aligarh . . .	171	80	24.4	..	1	..	5	1	5	..	17	5.2	7		
Lucknow . . .	539	252	24.4	13	6	31	..	111	10.7	22		
Mathura . . .	121	55	23.7	8	2	6	..	20	8.6	3		
Mau-Nath Bhanjan . . .	40	30	39.1	4	5.2	..		
Meerut . . .	203	96	24.6	4	1	6	2	19	4.9	1		
Mirzapur Vindhyachal	102	61	31.2	7	1	2	..	15	7.7	3		
Moradabad . . .	166	130	40.8	2	..	21	..	40	12.6	10		
Muzaffarnagar . . .	83	35	22.0	2	..	3	..	8	5.0	3		
Pilibhit†															
Rampur . . .	188	10	2.8	1	..	3	0.8	..		
Saharanpur . . .	183	101	28.8	13	..	4	..	31	8.8	3		
Sambhal†															

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information; "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st February, 1959—*contd.*

Towns	Mid-Year Popn. Est.(000)	B.	B.R.*	Deaths from							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Uttar Pradesh—contd.													
Sitapur	54	16	15.4	2	..	1	..	6	5.8	1
Shahjahanpur	113	62	21.6	10	1	5	..	20	9.2	7
Haldwani cum Kathgodam†.													
Haridwar†													
Najibabad†													
TOTAL	5,779	3,101	28.0	..	3	..	281	60	306	9	1,182	10.7	248

West Bengal

"N.R."

ARREAR INFORMATION**Andhra Pradesh**

w/e 14-2-1959

Adoni†	.	.	.	44	13	15.4	3	2	..	13	15.4	5
Anantpur	.	.	.	52	36	36.0	2	1	1	1	13	13.0	3
Anakapalli	.	.	.													
Bhimavaram	.	.	.	43	21	25.4	2	1	1	..	12	14.5	3
Chirala	.	.	.	50	22	22.8	5	13	13.5	2
Chittoor	.	.	.	51	54	55.1	2	3	3.1	..
Cuddapah	.	.	.	47	33	36.5	1	2	9	1.0	1
Ellore	.	.	.	112	32	14.8	1	3	2	2	41	19.0	9
Gudivada†																
Guntur	.	.	.	175	111	33.0	6	2	4	..	49	14.6	8
Guntakal	.	.	.	45	14	21.8	1	..	1	..	3	4.7	..
Kakinada	.	.	.	127	30	12.3	2	3	3	..	16	6.5	4
Kurnool	.	.	.	75	50	34.2	..	1	..	6	3	40	27.4	1
Masulipatnam	.	.	.	98	64	34.0	4	..	4	..	19	10.1	4
Nandyal	.	.	.	41	25	31.7	1	..	6	7.6	..
Nellore	.	.	.	111	82	38.4	5	5	1	3	1	44	20.6	2
Proddutur†																
Rajahmundry†																
Tenali	.	.	.	78	57	38.0	2	1	2	..	19	12.7	3
Vijayawada	.	.	.	271	93	17.9	1	1	..	9	3	3	1	58	11.1	11
Visakhapatnam	.	.	.	155	52	17.4	6	7	10	..	32	10.7	6
Vizianagram	.	.	.	83	44	27.5	3	2	4	..	26	16.3	4
Hyderabad	.	.	.	1,302	356	14.2	17	3	3	..	98	3.9	3
Warrangal†																
Nizamabad†																
Kothagudiam	.	.	.	80	3	2.0
Secunderabad	.	.	.	195	124	33.1	2	2	5	..	32	8.5	5
TOTAL	.	.	.	1,933	1,316	35.4	6	2	..	76	35	48	7	546	14.7	79

Assam

w/e 3-1-59

Gauhati	58	22	19.7	3	14	12.6	2
Shillong†													
Dibrugarh	54	3	2.9
Silchar	57	3	2.7	3	2	2	..	16	14.6	4
TOTAL	169	28	8.6	6	2	2	..	30	9.2	6

w/e 10-1-59

Gauhati	58	20	17.9	2	2	1	..	11	9.9	1
Shillong†													
Dibrugarh	54	1	0.9	1	2	1.9	..
Silchar	57	58	52.9	2	2	2	..	9	8.2	4
TOTAL	169	79	24.3	5	4	3	..	22	6.8	5

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil Information, "N-R"—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st February, 1959—*contd.*

Towns		Mid-year. popn.Est. (000)	B.	Deaths from										Total	D.R. *	I.D.
				B.R. *	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Assam--contd.				w/e 17-1-59												
Gauhati	.	58	16	14.3	1	2	1	..	9	8.1	..		
Shillong†	.															
Dibrugarh	.	54	2	1.9		
Silchar	.	57	56	51.1	2	..	5	4.6	1		
TOTAL	.	169	84	25.8	1	2	3	..	14	4.3	1		
				w/e 24-1-59												
Gauhati	.	58	17	16.9	1	..	1	..	10	9.0	2		
Shillong†	.															
Dibrugarh	.	54	1	1.0	2	1.9	..		
Silchar	.	57	20	18.2	2	1.8	..		
TOTAL	.	169	38	11.7	1	..	1	..	14	4.3	2		
				w/e 31-1-59												
Gauhati	.	58	19	17.0	11	5	1	..	36	32.3	3		
Shillong†	.															
Dibrugarh	.	54	1	0.9	1	1	0.9	..		
Silchar	.	57	45	41.1	2	1	1	..	10	9.1	7		
TOTAL	.	169	65	20.0	14	6	2	..	47	14.5	10		
				w/e 7-2-59												
Gauhati	.	58	27	24.2	6	26	23.3	2		
Shillong	.															
Dibrugarh	.	54	4	3.9	1	0.9	..		
Silchar	.	57	5	4.6	1	2	1	..	6	5.5	2		
TOTAL	.	169	36	11.1	7	2	1	..	33	10.2	4		
				w/e 14-2-58												
Gauhati	.	58	20	17.1	7	..	2	..	20	17.9	1		
Shillong†	.															
Dibrugarh	.	54	1	3.9	1	..	1	0.9	..		
Silchar	.	57	48	43.8	1	9	8.2	3		
TOTAL	.	169	69	21.2	7	1	3	..	32	9.2	4		
Bombay																
				w/e 7-2-59												
Ahmedabad	.	1,001	713	37.0	20	6	84	..	296	14.4	71		
Ahmednagar	.	112	45	20.9	2	..	3	1	19	8.8	3		
Amalner	.	55	37	35.0	6	12	11.3	1		
Baroda	.	277	191	35.7	15	1	10	1	69	12.9	14		
Barsi	.	49	44	46.7	1	..	1	..	13	15.4	2		
Bhusawal	.	76	31	21.2	1	1	..	3	14	9.6	..		
Broach	.	69	44	33.2	3	..	7	..	22	16.6	..		
Cambay	.	43	33	39.9	1	..	2	..	13	15.7	3		
Chalisgaon	.	39	22	29.3	1	1.3	..		
Dhulia	.	105	44	21.8	7	..	4	..	21	10.4	6		
Godhra	.	42	61	75.6	7	11	13.6	3†		
Greater Bombay	.	4,344	2,005	24.0	..	5	..	1	30	116	5	716	8.6	172		
Jalgaon	.	91	19	10.9	4	1	1	1	17	9.7	1		
Kalyan	.	94	22	12.2	1	..	2	..	5	2.8	1		
Kolhapur	.	189	142	39.1	1	..	15	..	49	13.5	3		
Malegaon	.	77	38	25.7	17	1	4	1	30	20.3	4		
Miraj	.	48	47	50.9	1	3	..	28	30.3	2		
Nadiad	.	80	56	36.4	9	..	2	..	29	18.9	2		
Nandurbar	.	39	22	29.3	1	..	10	13.3	2		
Nasik	.	153	83	28.2	4	3	5	..	29	9.9	8		
Narsari	.	54	27	26.0	1	4	3.9	..		
Pandharpur	.	48	31	33.6	3	1	4	..	14	15.2	4		
Patan	.	50	44	45.8	4	..	16	16.6	2		
Poona	.	727	247	17.7	..	3	..	2	3	19	..	119	8.6	40		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st February, 1959—*contd.*

Towns	Mid-year Popn. Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Bombay—contd.														
Sangli	68	20	15.3	1	..	2	..	13	9.9	2	..
Satara	43	22	26.6	1	..	3	..	12	14.5
Sholapur	333	205	32.0	4	5	30	..	93	14.5	22	..
Surat	279	158	29.6	7	5	23	..	87	16.2	25	..
Thana†														
Bhavnagar	177	61	17.9	7	..	2	..	26	7.6	9	..
Dhoraji	49	22	23.3	2	..	1	..	10	10.5	1	..
Jamnagar	143	12	4.4	3	..	5	..	15	5.5	1	..
Junagarh	67	44	34.1	5	1	3	..	20	15.5	2	..
Morvi†														
Porbander	69	51	38.4	3	1	7	..	22	16.6	6	..
Gondal	43	28	33.9	2	5	6.0
Rajkot	219	67	15.9	10	..	4	..	53	12.6	12	..
Veraval	51	13	13.3	1	..	1	..	5	5.1
Surendranagar	53	8	7.8	3	4	3.9	1	..
Nagpur	624	396	33.0	10	5	13	..	147	12.3	50	..
Achalpur	40	28	36.4	1	1	..	2	7	9.1	1	..
Akola	121	73	31.4	4	..	3	..	21	9.0	4	..
Chanda	46	34	38.4	5	17	19.2	3	..
Gondia†														
Hingangaht†														
Khamgaont†														
Wardha	53	16	15.7	3	7	6.9	2	..
Yeotmal	46	25	28.3	2	1	1	..	12	13.6	6	..
Kamptee	42	14	17.3	2	4	4.9	2	..
Amravati	116	115	51.6	5	4	..	2	25	11.2	3	..
Aurangabad	83	9	5.5	2	1.3
Lathur	47	13	14.4	2	2.2
Nanded	98	27	13.5	1	0.5
Parbhani	48	1	1.1
Jalna †														
TOTAL	10,820	5,510	26.5	..	8	..	187	71	386	16	2,167	10.4	506	..
Kerala														
w/a 7-2-1959														
Alleppey	195	2	0.5
Changanacherry	44	23	27.2	2	..	5	5.9	1	..
Kottayam	55	23	21.8	1	3	2.8	..4	..
Ernakulam	77	16	10.8	2	..	18	12.2
Mattancherry	94	26	14.4	1	..	3	..	20	11.1	6	..
Quilon	82	112	71.0	1	..	1	..	5	3.2
Trichur	80	9	5.9	1	..	14	9.1	2	..
Trivandrum	247	24	5.1	3	2	1	..	11	2.3
Kozhikode	187	194	54.0	4	2	5	..	50	13.9	13	..
Palghat	82	42	26.6	2	2	2	..	31	19.7	6	..
Cannanore	49	27	28.7	1	..	1	..	16	17.0	1	..
Tellicherry	43	32	38.7	10	12.1	6	..
Cochin	33	33	52.0	3	..	13	20.5	3	..
TOTAL	1,268	563	23.1	13	6	21	..	193	8.1	43	..
Madhya Pradesh														
w/a 7-2-1959														
Bilaspur†														
Burhanpur†														
Damoh	48	17	18.4	6	4	3	..	17	18.4
Jabalpur	277	194	27.9	11	3	27	..	58	10.8	17	..
Khandwa†														
Raipur†														
Murwar†														
Sagar†														
Chindwar†														

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st February, 1959—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R *	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R	I.D.
Madhya Pradesh—<i>contd.</i>													
Raigarh	41	5	6.3	1	1	1.2	..
Itarsi†
Greater Gwalior	304	52	8.8	1	1	21	3.4	1
Indore	441	312	36.7	..	1	..	8	3	29	..	72	8.4	22
Ratlam	84	12	7.4	4	1	16	..	21	13.0	..
Ujjain	190	4	13.4	10	1	..	1	41	11.2	9
Bhopal City†	1	..	1	..	2	2.0	..
Mandsaur	50	1	..	1	..	2	2.0	..
TOTAL	1,435	596	21.5	..	1	..	42	12	76	2	253	8.4	4
<i>w/e 14-2-59</i>													
Bilaspur	54
Burhanpur	85
Damoh	48	24	26.0	7	3	9	..	22	23.8	..
Jabalpur	277	77	14.4	8	..	16	..	41	7.6	9
Khandwa	64
Raipur	116
Murwara	43
Sagar	81
Chhindwara	33
Raigarh	41	3	3.8	1	2	2.5	..
Itarsi	37
Greater Gwalior	304	151	25.8	1	13	2.2	2
Indore	441	284	33.4	7	1	35	..	71	8.3	27
Ratlam	84	23	14.2	3	..	13	..	16	9.9	..
Ujjain	190	37	10.1	8	1	25	6.8	2
Bhopal City	128
Mandsaur	50	8	8.3	2	..	5	..	7	7.2	..
TOTAL	1,435	607	21.9	37	4	78	1	197	7.1	40
Rajasthan													
<i>Supplementary figure</i>													
<i>w/e 14-2-59</i>													
Beawar	67	12	9.3	..	1	..	6	2	19	14.7	2
Bharatpur	39	8	10.6	1	1	1.0	..
Bikaner	118	25	11.0	2	..	6	..	17	5.7	..
Churu	54	17	16.2	1	..	1	..	2	1.5	..
Ganganagar	65	4	3.2	1	..	3	2.4	..
Sikar	57	4	3.4	1	4	3.4	..
Udaipur	125	18	7.5	5	2.1	..
<i>w/e 7-2-59</i>													
Sikar	57	4	3.4	2	..	1	..	8	6.1	..
Bharatpur	39	4	5.0	1	1	1.1	..
West Bengal													
<i>w/e 7-2-1959</i>													
Asansol†
Baidyabati†
Bally	76	24	16.5	2	..	3	..	7	4.3	3
Bankura	52	3	3.0	4	4.0	1
Bansberia†
Baranagar	103	26	13.2	2	5	..	13	6.6	5
Basirhat	44	6	7.1	18	12.2	..
Bhadrেশ্বর	45	6	7.0	1	1	1	3	3.5	..
Berhampur	71	68	49.9	1	18	13.2	2
Bhatpara	152	28	9.6	8	..	1	1	27	9.3	11
Burdwan	87	24	14.4	..	1	2	..	6	3.6	..
Calcutta	2982	1164	20.4	..	1	..	41	47	175	1	647	11.3	189
Champadani	41	10	12.7	1	..	2	2.5	..
Cooch-Behar†
Darjeeling†
English Bazar	38	22	30.2
Garden Reach	134	12	4.7	2	..	2	1	7	2.7	1
Halisahar	44	4	4.7	1	1.2	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used.—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st February, 1959—concl'd.

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—										Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.						
West Bengal—contd.																
Hooghly Chinsura	64	42	34.2	4	4	6	..	22	17.9	5			
Howrah	486	158	17.0	4	9	37	..	105	11.3	44			
Jalpaiguri†																
Kamarhati†																
Kanchrapara†																
Krishnagar.	73	2	1.4	..			
Midnapur	47	60	66.6	1	1	9	10.0	..			
Nabadwip	88	20	11.9	5	1	1	..	11	6.5	..			
Naihati	69	1	0.8	1	..	3	2.3	..			
North Barrackpore	37	4	5.6	1	1	..	2	2.8	..			
Panihati	76	10	6.9	4	1	..	9	6.2	3			
Santipur	57	29	26.5	3	2.7	1			
Schraampur	95	33	18.1	1	2	2	..	18	9.9	5			
Siliguri†																
South Dum Dum	114	3	1.4			
South Suburban	157	30	10.0	1	4	..	8	2.7	3			
Titagah	86	14	8.5	..	1	..	11	..	2	..	17	10.3	1			
Purulia	53	6	5.9	1	3	3.0	..			
Budge Budge	32	9	14.7	1	..	1	..	4	6.5	..			
Chandranagore	62	46	38.7	3	1	..	26	21.9	1			
Kharagpur	87	2	1.2	2	1.2	..			
TOTAL	5552	1864	17.5	..	3	..	82	76	247	3	979	9.9	277			

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates

† Figures not available.

Explanation of Symbols used.—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information; N. R.—Information not received.

REMARKS

The figures of births and deaths shown in this statement for week ending 21st February, 1959 relate to 117 towns from the States of Madras, Mysore, Orissa, Pondicherry, Punjab, Rajasthan, and Uttar Pradesh with a population coverage of 17,128 thousand out of the total population of 48,445 thousand in 324

towns of the country. The number of births and deaths recorded in these towns were 9,822 and 3,838 registering birth and death rates of 29.8 and 11.7 per thousand of population respectively.

The following table gives the registered rates for the different States:—

States	Current w/e 21-2 59		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Madras	34.3	13.9	28.2	17.9
Mysore	28.6	12.0	19.1	12.4
Orissa	49.0	19.7	36.2	19.4
Pondicherry	37.4	15.4	43.6	22.2
Punjab	32.6	8.0	29.8	7.6
Rajasthan	11.3	8.1	†	†
Uttar Pradesh	28.0	10.7	27.9	12.2
India	29.8	11.7	26.9	13.9

†Information not available.

NEW DELHI-2 (INDIA) . }
The 16th March, 1959. }

H. R. SHARMA,
for Registrar General, India.

Weekly Cotton Press Return

1 —Statement of cotton pressed in India for the weeks ending 7th, 14th, 21st and 28th of the month of November, 1958

[Section 5 (2) of the Cotton Ginning and Pressing Factories Act, 1925, as adopted by the Adaptation of Laws Order, 1950]

(In Running bales)

States and Region	Variety (Trade Description)	NUMBER OF BALES PRESSED											Total for the month (last year) Col. 9 to Col. 12	Since 1st Sept., 1957	During the corresponding period last year
		During the week ending					Total for the month Col. 3 to Col. 7	During the Corresponding week last year							
		7-11-58	14-11-58	21-11-58	28-11-58										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
I. ANDHRA PRADESH ¹ I Andhra ^a	1. Chinnapathi
	2. Lakshmi Cotton	301	694
	3. Northernns	232	70	302	193	632
	4. Westernns	43	43	655	3,313
	5. Mungarl	50	...	66	...	116	15	134
	6. Cocanadas	106	106	995	299
	TOTAL	43	...	106	149	...	282	70	66	...	418	2,159	5,072
II. Telangana ^a	1. Hyderabad American	5	...	5	5	...
	2. Jarlla	102	86	...	188	65	65	188	65
	3. Hyderabad Oomras
	4. Hyderabad Gaorani
	5. Kumpta Jayawant
	6. Kumpta Ordinary
	7. Mungarl
	8. Warangal & Cocanadas
	TOTAL	102	91	...	193	65	65	193	65
STATE TOTAL															
Cotton Lint	43	...	208	91	...	342	...	282	135	66	...	483	2,352	5,137	
Cotton Waste	...	68	68	481	507	
II, Assam ¹	Cotton Lint														
	Comillas	26	107	238	...	371	...	371
	Cotton Waste
III. BOMBAY ¹ 1. The Konkan & The Greater Bombay ^a	1. Broach Vijaya
	2. Surti Suyog
	3. Gujarat Dholeras
	4. Saurashtra & Gujarat Short Staple (Mathlo)
	5. Jarlla	85	82	44	60	...	271	38	7	36	81	1,303	840
	6. Borsi Nagar Oomras
	7. Kumpta-Jayawant (Jayadhar)
	8. Cambodia
	9. Dharwar Upland Laxmi
	10. Kumpta Ordinary
	TOTAL	85	82	44	60	...	271	38	7	36	81	1,303	840
	Cotton Waste	1,338	4,156	805	1,345	...	17,644	1,077	3,521	2,183	867	...	7,648	19,826	22,236
2. Gujarat ^a	1. Broach Vijaya
	2. Surti Suyog
	3. Gujarat Dholeras
	4. Saurashtra & Gujarat Short Staple (Mathic)
	TOTAL

Weekly Cotton Press Returns—contd.

Statement of Cotton pressed in India for the weeks ending 7th, 14th, 21st and 28th of the month of November, 1958—contd.

(In Running bales)															
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
3 Saurashtra ^a	1. Dhollera Wagad	232	232	...	232
	2. Kalyan
	3. Mathio	846	709	1,555	...	1,555
	4. Pratap
	5. Devraj (134-Co2)
	6. Others
	TOTAL	232	846	709	1,787	...	1,787
4. Marathwada ^a	1. Jarila	75	34	731	1,126	...	1,966	120	201	...	321	1,966	321
	2. Hyderabad Oomras	...	38	60	283	...	381	205	595	...	800	381	800
	3. Hyderabad Gaorani	241	241	155	155	317	155
	4. Kumpta Ordinary
	5. Warangal & Kakinadas
	6. Mungari
	7. Verum (including H-420 & 197/3)	590	...	590	...	590
	8. Hyderabad American
	9. Other Americans
	10. Others
	TOTAL	316	72	791	1,409	...	2,588	480	1,386	...	1,866	2,664	1,866
5. Vidarbha ^a	1. Jarila	9,720	12,830	22,026	22,044	...	66,620	2,183	1,392	4,673	6,332	...	14,580	71,929	16,205
	2. Verum (including H-420 & 197/3)	1,170	1,199	1,744	1,461	...	5,574	15,954	20,578	25,934	32,190	...	94,656	5,877	106,842
	3. Oomras	13	...	51	100	...	164	264	49	1,338	1,346	...	2,997	164	2,997
	4. Cambodia including Buri	5	102	999	3,014	...	4,120	354	416	1,674	3,403	...	5,847	4,120	6,248
	5. M.P. American	254	803	1,797	3,024	...	5,878	1,374	2,171	1,554	3,958	...	9,057	5,928	9,629
	6. Other Americans
	7. Others	...	55	394	340	...	789	124	424	...	548	789	548
	TOTAL	11,162	14,989	27,011	29,983	...	83,145	20,129	24,606	35,297	47,653	...	127,685	88,807	142,469
6. North Deccan ^a	1. Jarila	787	2,763	4,235	6,160	...	13,945	2,982	2,785	11,670	14,988	...	32,425	13,945	33,272
	2. Surti Suyog
	TOTAL	787	2,763	4,235	6,160	...	13,945	2,982	2,785	11,670	14,988	...	32,425	13,945	33,272
7. South Deccan ^a	1. Dharwar Upland/Luxmi	12	...
	2. Bansi Nagar Oomras	68	...
	3. Kumpta Jayawant/Jayadhar
	4. Kumpta Ordinary
	5. Cambodia	563	872	1,219	509	...	3,163	200	94	805	678	...	1,777	3,767	2,231
	6. Jarila	791	832	805	1,056	...	3,484	2,906	1,280	1,276	3,418	...	8,880	14,038	18,379
	7. Others	11	...
	TOTAL	1,354	1,704	2,024	1,565	...	6,647	3,106	1,374	2,081	4,096	...	10,657	17,896	20,610
	STATE TOTAL Cotton Lint	13,619	19,528	34,061	39,117	...	106,325	26,449	29,611	50,237	68,133	...	174,420	123,312	300,004
	Cotton Waste	757	744	1,046	1,304	...	3,851	2,439	1,142	2,184	2,002	...	6,767	15,460	15,053
MADHYA PRADESH. 1. Mahakoshal	1. M. P. American (including Buri and Comabodia)
	2. H 420 (including Verum 91 and others)	N.A.
	3. Jarila
	4. Madhya Pradesh Oomras
	TOTAL	...	50	405	1,538	...	1,993	251	587	2,160	4,626	...	7,624	1,993	7,624

Weekly Cotton Press Return—contd.

Statement of Cotton pressed in India for the weeks ending 7th, 14th, 21st and 28th of the month of November, 1958—contd.

(In Running bales)

I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
4. Madhya Bharat	1. U. P. Deshi	261	...	261	261	...	
	2. M. B. & Rajasthan American including Buxi Upland and Cambodia	112	142	...	254	80	...	80	254	80	
	3. Jaria Including 1973 and 1994	...	289	1,196	2,266	...	3,751	62	1,707	2,666	4,908	...	9,343	3,751	9,343	
	4. Malvi	46	46	103(R)	4(R)	
	5. M. B. Oomras	
	TOTAL	335	1,308	2,669	...	4,312	621	1,707	2,666	4,988	...	9,423	4,369(R)	9,427(R)	
3. Bhopal	1. Malvi	
	2. M. B. Oomras	
	TOTAL	
	STATE TOTAL	
	Cotton Lint	385	1,713	4,207	...	6,305	313	2,294	4,826	9,614	...	1,7047	6,362(R)	17,051(R)	
Cotton Waste	165	70	101	150	...	486	36	150	112	93	...	391	1,833(R)	878(R)		
V. MADRAS ¹	1. Western	
	2. Mungari	
	3. White and Red Northern	
	4. Madras Cambodia	459	408	644	1,115	...	2,626	1,008	1,496	378	624	...	3,506	14,890	9,917	
	5. Madras Cambodia Uganda	743	643	370	308	...	2,064	813	748	562	425	...	2,548	12,580	6,860	
	6. Nadam, Bourbon and Uppam	
	7. Warrangal & Cocanadas	
	8. Tirunelveli	121	121	714	173	
	9. Karunganni	76	2	78	50	...	0	624	1,111	
	10. Chinnappathy	
	STATE TOTAL	
	Cotton Lint	1,278	1,174	1,014	1,423	...	4,889	1,821	2,244	9,40	1,099	...	6,104	28,808	18,061	
Cotton Waste	1,507	1,201	2,007	1,244	...	5,959	1,838	958	1,593	1,383	...	5,772	18,845	17,951		
VI. PUNJAB	1. Ambala ¹¹	Punjab Desi	255	518	...	773	316	1,150	709	1,084	...	3,259	773	3,409(R)
		Punjab American	50	100	358	1,494	...	2,002	1,037	5,371	4,818	3,611	...	14,837	2,002	16,752(R)
		TOTAL	50	100	613	2,012	...	2,775	1,353	6,521	5,527	4,695	...	18,096	2,775	20,161(R)
	2. Jullundur ¹²	Punjab Desi	201	190	25	816	...	1,232	...	466	171	208	...	845	1,380(R)	845
		Punjab American	354	1,075	2,103	1,426	...	4,958	1,725	2,465	2,118	1,933	...	8,241	5,059(R)	10,840(R)
		TOTAL	555	1,265	2,128	2,242	...	6,190	1,725	2,931	2,289	2,141	...	9,086	6,49(R)	10,840(R)
	3. Amritsar ¹³	Punjab Desi	798	553	319	968	...	2,620	362	313	327	856	...	1,858	4,764(R)	2,013(R)
		Punjab American	307	370	689	785	...	2,151	696	1,047	1,525	830	...	4,098	2,405(R)	5,085(R)
		TOTAL	1,105	905	1,008	1,753	...	4,771	1,058	1,360	1,852	1,686	...	5,956	7,169(R)	7,098(R)
	4. Ferozepur ¹⁴	Punjab Desi	664	1,256	1,333	1,646	...	4,899	405	1,085	909	1,044	...	3,443	5,709(R)	5,068(R)
		Punjab American	831	2,335	4,699	6,774	...	14,639	6,791	7,364	12,391	11,971	...	38,517	15,06(R)	45,545(R)
		TOTAL	1,495	3,591	6,032	8,420	...	19,538	7,196	8,449	13,300	13,015	...	41,960	20,775(R)	50,613(R)

Weekly Cotton Press Return—contd.

I. --Statement of Cotton pressed in India for the weeks ending 7th, 14th, 21st and 28th of the month of November, 1958—contd.

(In Running bales)

I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
5. Patiala ¹⁸	Punjab Desi	2,192	1,842	3,986	7,290	...	15,310	1,493	5,635	7,093	8,114	...	22,335	17,081(R)	26,355(R)
	Punjab American	207	524	3,087	5,238	...	9,056	1,468	6,891	8,520	7,191	...	24,070	9,056	25,119(R)
	TOTAL	2,399	2,366	7,073	12,528	...	24,366	2,961	12,526	15,613	15,305	...	46,405	26,137(R)	51,474(R)
	STATE TOTAL														
	Cotton Lint	5,604	8,227	16,854	26,955	...	57,640	14,293	31,787	38,581	36,842	...	121,503	63,295(R)	141,031(R)
	Cotton Waste	29	35	51	60	...	175	33	27	20	91	...	171	175	171
VII. UTTAR PRADESH															
1. Upper Doab ¹⁸	U. P. Desi	316	431	666	...	1,413	...	2,332
	Perso-American	95	...	95	88	139	72	312	...	611	213(a)	795
	TOTAL	95	...	95	88	455	503	978	...	2,024	213(a)	3,067
2. Middle Doab ¹⁸	U. P. Desi
	Perso-American	142	122	139	403	...	403
	TOTAL	142	122	139	403	...	403
3. Lower Doab & Bundelkhand ¹⁸	U. P. Desi
	Perso-American
	TOTAL
4. Rohilkand ¹⁸	U. P. Desi
	Perso-American
	TOTAL
5. Rest of the U.P. State ¹⁸	U. P. Desi
	Perso-American
	TOTAL
	STATE TOTAL														
	Cotton Lint	95	...	95	230	577	642	978	...	7	213(a)	3,470
VIII. West Bengal ¹⁸	Comillas	41	48	...	89	...	9	9	2,522	217
	Hyderabad American
	STATE TOTAL														
	Cotton Lint	41	48	...	89	...	5	9	2,522	217
	Cotton Waste	204	60	79	12	...	355	...	33	53	50	...	136	1,521	374
IX. Mysore ¹⁸	Mysore American	16	100	100	...	216	...	2	2	1,013(R)	560(R)
	Kumtha Ordinary	112	...	50	...	168	508	515	387	462	...	2,072	1,013(R)	5,671(R)
	Jayadhar	638	...	127	174	...	939	357	477	834	4,475(R)	2,359(R)
	Nudam, Bourhan & Uppam
	Lakshmi	152	...	2	212	...	366	53	...	30	73	1,704(R)	627(R)
	Others	389	258	602	730	...	1,979	417	253	50	50	...	770	4,420(R)	2,480(R)
	STATE TOTAL														
	Cotton Lint	1,179	386	831	1,272	...	3,668	1,335	1,247	657	512	...	3,751	12,895(R)	11,697(R)
	Cotton Waste	101	28	129	345	179

Weekly Cotton Press Return—concl'd.

I.—Statement of Cotton pressed in India for the weeks ending 7th 14th, 21st and 28th of the month of November, 1958—concl'd.

(In Running bales)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
X. Rajasthan ¹	M.B. & Rajasthan Americans	39	..	222	1,034	..	1,295	1,063	1,694	2,250	2,356	..	7,363	1,325	7,987
	Rajasthan Desi . . .	466	600	1,866	1,714	..	4,646	3,222	4,290	4,923	5,238	..	17,6	4,646	20,959
	M.B. Oomras
	Malvi
	Jarila	117	..	117	..	117
	U. P. Desi
	STATE TOTAL														
	Cotton Lint . . .	505	600	2,088	2,748	..	5,941	4,285	5,984	7,173	7,711	..	25,153	5,971	29,063
	Cotton Waste
XI. Tripura ¹															
	Cotton Lint Comillas . .						N.A.						N.A.		
	Cotton Waste . . .						N.A.						N.A.		
All India	Cotton Lint . . .	22,269	30,300	56,769	75,956	..	185,294	48,726	74,061	103,298	125,183	..	351,268	245,730(a)	426,102
	Cotton Waste . . .	2,763	2,206	3,284	2,819	..	11,072	4,346	2,347	3,962	3,819	..	14,474	39,135(b)	36,003

¹ The whole State.² Guntur, Kurnool, Anantapur, Cuddapah, East Godavari and Krishana.³ Warrangal, Karimnagar, Adilabad, Medak, Nizambad, Mahboobnagar and Nalgonda.⁴ Thana, Kolaba and Greater Bombay.⁵ Surat, Broach, Panchmahals, Kaira, Banaskantha, Sabarkantha, Baroda, & Mahsana.⁶ Halar, Madhya Saurashtra, Zalanwad, Sorath, Gohilwad, Kutch and Amreli.⁷ Aurangabad, Bhil, Parbhani, Nanded and Osmanabad.⁸ Nagpur, Wardha, Chanda, Amravati, Akola, Buldana and Yeotmal.⁹ East Khandesh, West Khandesh and Nasik.¹⁰ Sholapur Ahmednagar, Poona, N. Satara, S. Satara and Kolhapur.¹¹ Hissar, Rohtak, Gurgaon, Karnal, Ambala and Simla.¹² Ludhiana, Kangra, Hoshiarpur and Jullundur.¹³ Amritsar, Gurdaspur.¹⁴ Ferozepur.¹⁵ Patiala, Sangrur, Bhatinda, Mohindergarh and Kapurthala.¹⁶ Dehradun, Saharanpur, Meerut, Bulandshahr, Aligarh, Muzaffarnagar.¹⁷ Mathura, Farrukhabad, Etah, Agra, Mainpuri, Etawah.¹⁸ Kanpur, Fatehpur, Allahabad, Jhansi, Jalaun, Hamirpur, Banda.¹⁹ Hardol, Bareilly, Moradabad, Budaun, Bijnor, Pilibhit, Nainital, Almora, Garhwal, Shahjahanpur.²⁰ Mirzapur, Banarases, Gazipur, Jaunpur, Azamgarh, Ballia, Gorakhpur, Basti, Gonda, Bahraich, Kheri Sitapur, Lucknow, Bara Banki, Rai Bareilly, Sultanpur, Fyzabad, Partapgarh, Unao.

(a) Includes 118 bales not reported before.

(b) " 259 " " " " "

N.A. Not available.

(R)—Revised.

